

53525

Flexible handle, Nylon, Ø6
mm, 1505 mm, White



This flexible Nylon Handle makes it easy to clean inside long curved feeder pipes.
Can be used with 5354x, 5356x, 5365x, 5368x and 5391x tube cleaners.

Technical Data

Item Number	53525
Material	Polypropylene Polyamide Stainless Steel (AISI 303)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	1500 Pcs.
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	1610 mm
Box Width	160 mm
Box Height	70 mm
Product Diameter	6 mm
Length/Depth	1505 mm
Width	6 mm
Height	6 mm
Net Weight	0,08 kg
Weight cardboard	0,04 kg
Tare total	0,04 kg
Gross Weight	0,12 kg
Cubik metre	5,4E-05 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. usage temperature (for food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10,5 pH
GTIN-13 Number	5705020053528
GTIN-14 Number (Box quantity)	15705020053525
Customs Tariff No.	39172900

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.