Hand Scoop, 2 Litre, Green





Lightweight and durable, this Hand Scoop features a one-piece construction that eliminates areas where bacteria can gather. Its smooth surface allows for easy cleaning, which makes it ideal for moving food ingredients or large quantities of food waste.

Technical Data

| Content 2 Litre Content 67,63 Floz Material Polypropylene Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (for food contac | Item Number | 56702 |
|--|---|----------------|
| Material Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C | Content | 2 Litre |
| Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Sebac Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,06 kg Gross Weight 0,06 kg Cubik metre 0,006591 M3 Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max usage temperature (In on food contact) 100 °C Min. usage temperature (Ton food contact) 100 °C Min. usage temperature (Ton food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Content | 67,63 Fl oz |
| Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,06 kg Gross Weight 0,33 kg Cubik metre 0,065 kg Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max. usage temperature 100 °C | Material | Polypropylene |
| Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Min. pH-value in usage concentration | Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. pt-value in usage concentration 2 pt Max. pt-value in Usage Concentration 10,5 pt Recycling Symbol "5", Polypropylene (PP)< | | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight cardboard 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. ph-value in usage concentration 2 pH Max. ph-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes </td <td>FDA compliant raw material (CFR 21)</td> <td>Yes</td> | FDA compliant raw material (CFR 21) | Yes |
| Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes | Complies with UK 2019 No. 704 on food contact materials | Yes |
| Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 240 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (for food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Use of phthalates and bisphenol A | No |
| Quantity Per Layer (Pallet) 240 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,06 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (for food contact) 100 °C Min. usage temperature* -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Is Halal and Kosher compliant | Yes |
| Quantity Per Layer (Pallet) 40 Pcs. Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Box Quantity | 10 Pcs. |
| Box Length 600 mm Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Tare total 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Quantity per Pallet (80 x 120 x 200 cm) | 240 Pcs. |
| Box Width 385 mm Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Tare total 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Quantity Per Layer (Pallet) | 40 Pcs. |
| Box Height 285 mm Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Tare total 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Box Length | 600 mm |
| Length/Depth 390 mm Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Tare total 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Box Width | 385 mm |
| Width 130 mm Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Tare total 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Box Height | 285 mm |
| Height 130 mm Net Weight 0,27 kg Weight cardboard 0,06 kg Tare total 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Length/Depth | 390 mm |
| Net Weight 0,27 kg Weight cardboard 0,06 kg Tare total 0,06 kg Gross Weight 0,33 kg Cubik metre 0,006591 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020567025 | Width | 130 mm |
| Weight cardboard0,06 kgTare total0,06 kgGross Weight0,33 kgCubik metre0,006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Height | 130 mm |
| Tare total0,06 kgGross Weight0,33 kgCubik metre0,006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Net Weight | 0,27 kg |
| Gross Weight0,33 kgCubik metre0,006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Weight cardboard | 0,06 kg |
| Cubik metre0,006591 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Tare total | 0,06 kg |
| Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Gross Weight | 0,33 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Cubik metre | 0,006591 M3 |
| Max. usage temperature (for food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Max. cleaning temperature (Dishwasher) | 93 °C |
| Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Max. usage temperature (for food contact) | 100 °C |
| Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Max usage temperature (non food contact) | 100 °C |
| Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Min. usage temperature ³ | -20 °C |
| Max. pH-value in Usage Concentration10,5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020567025 | Max. drying temperature | 120 °C |
| Recycling Symbol "5", Polypropylene (PP) GTIN-13 Number 5705020567025 | Min. pH-value in usage concentration | 2 pH |
| GTIN-13 Number 5705020567025 | Max. pH-value in Usage Concentration | 10,5 pH |
| | Recycling Symbol "5", Polypropylene (PP) | Yes |
| GTIN-14 Number (Box quantity) 15705020567022 | GTIN-13 Number | 5705020567025 |
| | GTIN-14 Number (Box quantity) | 15705020567022 |

01/02/2021 2/3

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

01/02/2021 3/3