## Tank Brush, 205 mm, Hard, Pink







Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle.

## **Technical Data**

Bristle stiffness         Hard           Visible bristle length         40 mm           Material         Polypropylene Polyester (PBT) Stainless Steel (AISI 304)           Complies with (EC) 1935/2004 on food contact materials'         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation ICFR 21'         Yes           Complies with EACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs.           Box Length         545 mm           Box Width         275 mm           Box Height         205 mm           Width         130 mm           Height bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.022 kg           Weight cardboard (Recycling symbol "20" PAP)         0.022 kg           Gross Weight         0.5 kg           Cubic metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. Leage temperature (Dishwasher)         93 °C	Item Number	70371
Material    Polypropylene Polyester (PBT) Stainless Steel (AISI 304)	Bristle stiffness	Hard
Complies with (EC) 1935/2004 on food contact materials¹  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation I CFR 21¹  Yes  Complies with UK 2019 No. 704 on food contact materials  Yes  Complies with REACH Regulation (EC) No. 1907/2006  Yes  Complies with REACH Regulation (EC) No. 1907/2006  Yes  Complies with Halal and Kosher  Yes  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Box Length  Box Width  275 mm  Box Width  275 mm  Box Height  220 mm  Length/Depth  205 mm  Width  130 mm  Height  100 mm  Net Weight cardboard (Recycling symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP)  Quisting temperature (Dishwasher)  Recommended sterillisation temperature (Autoclave)  Max. usage temperature (food contact)  Max. usage temperature (no food contact)  Min. usage temperature  Max. drying temperature  100 °C  Max. drying temperature  Max. drying te	Visible bristle length	40 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation CFR 21¹ Yes  Complies with UK 2019 No. 704 on food contact materials  Complies with UK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Yes  Complies with California Proposition 65  Yes  Complies with Halal and Kosher  FAS, Phthalates and BPA intentionally added  No  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  480 Pcs.  Quantity Per Layer (Pallet)  60 Pcs.  Box Length  545 mm  Box Width  275 mm  Box Height  220 mm  Length/Depth  Width  130 mm  Height  No  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP)  O.022 kg  Tare total  O.0298 kg  Gross Weight  Cubic metre  O.002665 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Min. usage temperature	Material	(PBT) Stainless Steel
Manufacturing Practice         Complies with FDA RegulationI CFR 21¹         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs.           Quantity Per Layer (Pallet)         60 Pcs.           Box Length         545 mm           Box Width         275 mm           Box Height         220 mm           Length/Depth         205 mm           Width         130 mm           Height         100 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.022 kg           Weight cardboard (Recycling symbol "20" PAP)         0.022 kg           Gross Weight         0.5 kg           Cubic metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. usage temperature (non food contact)         0.00 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs.           Quantity Per Layer (Pallet)         60 Pcs.           Box Length         545 mm           Box Width         275 mm           Box Height         220 mm           Length/Depth         205 mm           Width         130 mm           Height         100 mm           Net Weight Dag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.078 kg           Weight cardboard (Recycling symbol "20" PAP)         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubic metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. usage temperature (non food contact)         80 °C           Min. usage temperature         100 °C </th <th>· · · · · · · · · · · · · · · · · · ·</th> <th>Yes</th>	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs.           Quantity Per Layer (Pallet)         60 Pcs.           Box Length         545 mm           Box Width         275 mm           Box Height         220 mm           Length/Depth         205 mm           Width         130 mm           Height         100 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.078 kg           Weight cardboard (Recycling symbol "20" PAP)         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubic metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. usage temperature (non food contact)         80 °C           Min. usage temperature         -20 °C           Min. usage temperature         -20 °C           Max.	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength/Depth205 mmWidth130 mmHeight100 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.022 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)480 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength/Depth205 mmWidth130 mmHeight100 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.027 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMin. usage temperature-20 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 545 mm Box Width 275 mm Box Height 220 mm Length/Depth 205 mm Width 130 mm Weight 100 mm Net Weight 100 mm Net Weight 100 mm Net Weight cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 10.022 kg Gross Weight 10.5 kg Cubic metre 10.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 120 °C Max usage temperature (food contact) 100 °C Min. usage temperature (100 °C Max. drying temperature 100 °C Max. drying temperature	Complies with California Proposition 65	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs.           Quantity Per Layer (Pallet)         60 Pcs.           Box Length         545 mm           Box Width         275 mm           Box Height         220 mm           Length/Depth         205 mm           Width         130 mm           Height         100 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))         0.078 kg           Weight cardboard (Recycling symbol "20" PAP)         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubic metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature <sup>2</sup> -20 °C           Max. drying temperature         100 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)480 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength/Depth205 mmWidth130 mmHeight100 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kg (LDPE)Weight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)60 Pcs.Box Length545 mmBox Width275 mmBox Height220 mmLength/Depth205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Quantity	10 Pcs.
Box Length Box Width 275 mm Box Height 220 mm Length/Depth 205 mm Width 130 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 7 are total 7 cobic metre 8 commended sterilisation temperature (Autoclave) 8 cobic metre 8 commended sterilisation temperature (Autoclave) 8 cobic metre 8 cobic metre 8 cobic metre 9 co	Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs.
Box Width275 mmBox Height220 mmLength/Depth205 mmWidth130 mmHeight100 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height220 mmLength/Depth205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	545 mm
Length/Depth205 mmWidth130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	275 mm
Width130 mmHeight100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	220 mm
Height100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length/Depth	205 mm
Net Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.0298 kgGross Weight0.5 kgCubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))  Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.002665 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  100 °C	Height	100 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubic metre  0.002665 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  100 °C  Max. drying temperature	Net Weight	0.47 kg
Tare total 0.0298 kg  Gross Weight 0.5 kg  Cubic metre 0.002665 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max. usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature (100 °C)  Max. drying temperature (100 °C)		0.0078 kg
Gross Weight  Cubic metre  0.002665 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max. usage temperature (food contact)  Max usage temperature (non food contact)  100 °C  Min. usage temperature  100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.022 kg
Cubic metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0298 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.5 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.002665 M3
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C  Max. drying temperature 100 °C	Max. usage temperature (food contact)	80 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020703713
GTIN-14 Number (Box quantity)	15705020703710
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.